


A large, high-contrast image of a marbled surface, likely a stone or marble, with dark, swirling veins and lighter, more uniform areas. The texture is organic and fluid, with some veins appearing more prominent than others. The overall color palette is dark, with shades of grey, black, and white.

# GruppoNueva™

COLLECTION - 2024

**LUCIDA**  
EXCLUSIVE COLLECTION



**GruppoNueva™**



## A WAY TO KEEP MOVING

Grupponueva established in 1997, is a forerunner in the production and distribution of porcelain tiles and countertops, floors and walls, and we are a major player in the Indian ceramics industry.

The company's headquarters, manufacturing facilities, export houses, and laboratories are all located in the tiling hub of India, Morbi, Gujarat.

Every day, we work to make "grupponueva" the most well-known and admired organization in the world, one in which premium standards are maintained without compromising on price. We anticipate that through broadening our base of clients and providers, grupponueva will become a standard bearer in the international ceramic tile market.



# GruppoNueva™

## LOOKING TO SPICE UP YOUR DECOR?

Showcasing Lucida Collection with a glittering finish and exceptional craftsmanship, easy to clean and maintain with a wipe once a day and build strong enough that once installed will stand the test of time, its applications range from your personal space to offices, airports, and train stations to just about anywhere. Suitable for both floor and wall installation, its remarkable design is a great buy for large-scale endeavors.

## TECHNICAL SPECIFICATION

grupponueva's state-of-the-art production line is equipped with cutting-edge technology, ensuring the highest levels of production dependability, worker safety, and environmental sustainability.

To meet the demand of the modern and diversified market, our departments and production equipment are equipped with modern technology!

By utilizing cutting-edge machines like the SCAMI PH8200, the system Lamgea, and the ceramic moldless press, our factory is capable of producing tiles of unrivaled quality in India.



water proof



crazing  
resistance



fire proof



chemical  
resistance



stain  
resistance



scratch  
resistance



dimension  
and appearance




thermal  
resistance



frost  
resistance

## APPLICATIONS




residential




restaurant




hospital



train station



airports



offices and  
headquarters



malls



shops

## WHERE TO INSTALL? EASILY APPLICABLE

Tiles are one of the most versatile building materials, since they can be used in both indoor and outdoor settings. They are lovely, need little upkeep, and hold up well over time.

Introducing Lucida Exclusive Collection, our new series ideal for all official locations where aesthetics are paramount. This tile is ideal for residential use as it provides a gloss of serenity for families, has an easy-to-clean surface, and is constructed from the highest quality materials to withstand the test of time, making it the best choice for airports, hospitals, corporate offices, train stations, malls, and shops.

Lucida has an enticing handcrafted appearance characterized by perfect edges and a glossy surface finish that undulates the pattern.

Aesthetically pleasing tiles that provide a personal touch to any environment, A stunning addition to any living area, this dynamic choice for the wall and floor will make your interior seem and feel more inviting and welcoming than ever before.



## THE EXCELLENT ARTISTRY OF REMARKABLE VIGOR AND PANACHE


Presenting superior craftsmanship with a fusion of strength and fashion. This radiant collection is available in 8.5 mm thickness and comes in various finishes and colors that are easy to mix and match, encompassing a unique poise.

**THICKNESS**  
**8.5 mm**


Embrace the fine balance between wealthy texture and vivid colors. With precious and sassy looks changing the ambiance of your place.

Collection sizes at a glance


The formats, colors, and finishes are from wide variety of design styles and spaces.



24 x 48 in / 60 x 120 cm




24 x 24 in / 60 x 60 cm




12 x 24 in / 30 x 60 cm


Mosaics




48x48mm  
Square Mosaic




23x73mm  
Herringbone Mosaic




48x117mm  
Pickets Mosaic



48x80mm  
Rhombus Mosaic



48x55.5mm  
Hexagon Mosaic



48x80mm  
Diamond Mosaic

# Collection colors at a glance

The refined beauty of a genuine tile pattern.  
Glazed porcelain that looks just like the finest tiles from the world's top quarries.



Bianco River



Palissandro Light



Hilton Light Grey



Hilton Bianco



Dolomite Sand



Niro White



Hilton Grey



Pisa Gold



Rivera Silver



Oslo Grey



**LUCIDA**  
EXCLUSIVE COLLECTION

## Bianco River

**E**levate Your **S**pace with **E**legance.

Stone Inspiration

Glazed Porcelain Tiles



Stone Inspiration

Glazed Porcelain Tiles

BIANCO RIVER

FINISH : GLOSSY / MATT



60 x 120 cm / 24" x 48" / R-5



60 x 60 cm  
/ 24" x 24" / R-10




30 x 60 cm  
/ 12" x 24" / R-16


Mosaics



48x48mm  
Square Mosaic




23x73mm  
Herringbone Mosaic




48x55.5mm  
Hexagon Mosaic



48x117mm  
Pickets Mosaic




48x80mm  
Rhombus Mosaic



48x80mm  
Diamond Mosaic

Stone Inspiration



24 x 24 in / 60 x 60 cm | Bhukhara Fantasy Clay | Random - 10

Glazed Porcelain Tiles



Bianco River | Glossy / Matt

Stone Inspiration



Glazed Porcelain Tiles

## Palissandro Light

**E**levate Your **S**pace with **E**legance.



Stone Inspiration

Glazed Porcelain Tiles

PALISSANDRO LIGHT



60 x 120 cm / 24" x 48" / R-4




60 x 60 cm  
/ 24" x 24" / R-8




30 x 60 cm  
/ 12" x 24" / R-16


Mosaics




48x48mm  
Square Mosaic




23x73mm  
Herringbone Mosaic




48x55.5mm  
Hexagon Mosaic



48x117mm  
Pickets Mosaic



48x80mm  
Rhombus Mosaic



48x80mm  
Diamond Mosaic

Stone Inspiration

FINISH : GLOSSY / MATT



24 x 24 in / 60 x 60 cm | Bhukhara Fantasy Clay | Random - 08



Palissandro Light | Glossy / Matt

Stone Inspiration



Glazed Porcelain Tiles

**LUCIDA**  
EXCLUSIVE COLLECTION

## Hilton Grey

**E**levate Your **S**pace with **E**legance.


Stone Inspiration

Glazed Porcelain Tiles



HILTON GREY


FINISH : MATT



60 x 120 cm / 24" x 48" / R-6




60 x 60 cm  
/ 24" x 24" / R-8




30 x 60 cm  
/ 12" x 24" / R-16


Mosaics




48x48mm  
Square Mosaic




23x73mm  
Herringbone Mosaic




48x55.5mm  
Hexagon Mosaic




48x117mm  
Pickets Mosaic



48x80mm  
Rhombus Mosaic



48x80mm  
Diamond Mosaic



24 x 24 in / 60 x 60 cm | Hilton Grey | Random - 08



Hilton Grey | Matt

Stone Inspiration



Glazed Porcelain Tiles

## Hilton Light Grey

**E**levate Your **S**pace with **E**legance.



Stone Inspiration

Glazed Porcelain Tiles

HILTON LIGHT GREY

FINISH : MATT



60 x 120 cm / 24" x 48" / R-6




60 x 60 cm  
/ 24" x 24" / R-8




30 x 60 cm  
/ 12" x 24" / R-16


Mosaics




48x48mm  
Square Mosaic




23x73mm  
Herringbone Mosaic




48x55.5mm  
Hexagon Mosaic



48x117mm  
Pickets Mosaic



48x80mm  
Rhombus Mosaic



48x80mm  
Diamond Mosaic



24 x 24 in / 60 x 60 cm | Hilton Light Grey | Random - 08



Hilton Light Grey | Matt

Stone Inspiration



Glazed Porcelain Tiles

## Hilton Bianco

**E**levate Your **S**pace with **E**legance.



Stone Inspiration

Glazed Porcelain Tiles

HILTON BIANCO

FINISH : MATT



60 x 120 cm / 24" x 48" / R-6



60 x 60 cm  
/ 24" x 24" / R-8




30 x 60 cm  
/ 12" x 24" / R-16


Mosaics




48x48mm  
Square Mosaic




23x73mm  
Herringbone Mosaic




48x55.5mm  
Hexagon Mosaic



48x117mm  
Pickets Mosaic



48x80mm  
Rhombus Mosaic



48x80mm  
Diamond Mosaic



24 x 24 in / 60 x 60 cm | Hilton Bianco | Random - 08



Hilton Bianco | Matt

Stone Inspiration



Glazed Porcelain Tiles



**LUCIDA**  
EXCLUSIVE COLLECTION

## Rivera Silver

**E**levate Your **S**pace with **E**legance.

Stone Inspiration

Glazed Porcelain Tiles



Stone Inspiration

Glazed Porcelain Tiles

RIVERA SILVER

FINISH : MATT



60 x 120 cm / 24" x 48" / R-6




60 x 60 cm  
/ 24" x 24" / R-8




30 x 60 cm  
/ 12" x 24" / R-16

Mosaics



48x48mm  
Square Mosaic



23x73mm  
Herringbone Mosaic




48x55.5mm  
Hexagon Mosaic



48x117mm  
Pickets Mosaic



48x80mm  
Rhombus Mosaic



48x80mm  
Diamond Mosaic



24 x 24 in / 60 x 60 cm | Rivera Silver | Random - 08



Rivera Silver | Matt

Stone Inspiration



Glazed Porcelain Tiles

## Dolomite Sand

**E**levate Your **S**pace with **E**legance.



DOLOMITE SAND



60 x 120 cm / 24" x 48" / R-6



60 x 60 cm  
/ 24" x 24" / R-8



30 x 60 cm  
/ 12" x 24" / R-16

Mosaics




48x48mm  
Square Mosaic




23x73mm  
Herringbone Mosaic




48x55.5mm  
Hexagon Mosaic



48x117mm  
Pickets Mosaic



48x80mm  
Rhombus Mosaic



48x80mm  
Diamond Mosaic

Stone Inspiration

FINISH : MATT

GruppoNueva™



24 x 24 in / 60 x 60 cm | Dolomite Sand | Random - 08

Glazed Porcelain Tiles



Dolomite Sand | Matt

Stone Inspiration



Glazed Porcelain Tiles

A large, vertical image of a marble pattern with white and grey veins, occupying the left half of the page.

**LUCIDA**  
EXCLUSIVE COLLECTION

## Niro White

**E**levate Your **S**pace with **E**legance.

Stone Inspiration

Glazed Porcelain Tiles




NIRO WHITE

FINISH : GLOSSY / MATT



60 x 120 cm / 24" x 48" / R-6




60 x 60 cm  
/ 24" x 24" / R-8




30 x 60 cm  
/ 12" x 24" / R-16


Mosaics




48x48mm  
Square Mosaic




23x73mm  
Herringbone Mosaic




48x55.5mm  
Hexagon Mosaic



48x117mm  
Pickets Mosaic



48x80mm  
Rhombus Mosaic



48x80mm  
Diamond Mosaic



24 x 24 in / 60 x 60 cm | Niro White | Random - 08



Niro White | Glossy / Matt

Stone Inspiration



Glazed Porcelain Tiles

## Pisa Gold

**E**levate Your **S**pace with **E**legance.



Stone Inspiration

Glazed Porcelain Tiles

PISA GOLD

FINISH : GLOSSY / MATT



60 x 120 cm / 24" x 48" / R-8



60 x 60 cm  
/ 24" x 24" / R-8



30 x 60 cm  
/ 12" x 24" / R-16

Mosaics



48x48mm  
Square Mosaic



23x73mm  
Herringbone Mosaic




48x55.5mm  
Hexagon Mosaic



48x117mm  
Pickets Mosaic



48x80mm  
Rhombus Mosaic



48x80mm  
Diamond Mosaic



24 x 24 in / 60 x 60 cm | Pisa Gold | Random - 08



Pisa Gold | Glossy / Matt

Stone Inspiration



Glazed Porcelain Tiles

**LUCIDA**  
EXCLUSIVE COLLECTION

## Oslo Grey

**E**levate Your **S**pace with **E**legance.

Stone Inspiration

Glazed Porcelain Tiles



Stone Inspiration

Glazed Porcelain Tiles

OSLO GREY


FINISH : MATT



60 x 120 cm / 24" x 48" / R-4




60 x 60 cm  
/ 24" x 24" / R-8




30 x 60 cm  
/ 12" x 24" / R-16


Mosaics




48x48mm  
Square Mosaic




23x73mm  
Herringbone Mosaic




48x55.5mm  
Hexagon Mosaic



48x117mm  
Pickets Mosaic



48x80mm  
Rhombus Mosaic



48x80mm  
Diamond Mosaic



24 x 24 in / 60 x 60 cm | Oslo Grey | Random - 08




Oslo Grey | Matt

Stone Inspiration



Glazed Porcelain Tiles




# TECHNICAL INFORMATION



Before (beginning the) laying (of) ceramic material, you should take the following aspects into account:

- Check if the ceramic material is suitable for (use at) the selected site, according to its specifications and technical characteristics;
- Check whether there is enough material to conclude the work;
- Check the boxes to see/confirm in the boxes if the product is in the same shade, choice and caliber;
- Claims regarding these items cannot be accepted after tile setting.

The good performance of the ceramic material depends strongly on the conditions of application for which it is extremely important to ensure the following assumptions:



## SUPPORT

The support must be stable, free of debris, dust and cracks. Curing times and stability of the treatments to which the support may have been subjected should be respected. You should check its flatness and stabilize it, if necessary with the help of product suitable for the purpose. These aspects are vital for wall and floor ceramic tiles.

## MATERIAL





For a better visual effect of the product, it is advisable to use alternating ceramic pieces taken from various packages simultaneously. If the product has shade variations or has different graphics and shades, it should be applied randomly.

|                | application .pose |         |              |
|----------------|-------------------|---------|--------------|
|                | indoor            | outdoor | raised floor |
| finishing      |                   |         |              |
| natural        | 3mm               | 4mm     | —            |
| rectified      | 2mm               | 3mm     | —            |
| 20mm rectified | 2mm               | 3mm     | 3mm          |

## JOINTS FOR TILE-LAYING

For a perfect application of the ceramic pieces, you should definitely use joints. They fulfill important aesthetic and technical functions, facilitating alignment of the materials, absorbing any possible deformation liable to be felt in the structure - floor and wall - thus preventing the transmission of deformations to the ceramic pieces. Use the minimum recommended joints so as to ensure a good aesthetic aspect of the ceramic pieces, and respect the rules of application as follows: Table of minimum mandatory joints:

Important note: in addition to the minimum joint size shown in the table above, it is essential to comply with the standards for the application of ceramic material in force in the country of destination.



## GLUE AND MORTAR

The mortars, grouting mortars, glue-cements, and glues to be used should take into account both the support and the intended purpose of the ceramic pieces - indoor, outdoor, wall, floor - and their typology - porcelain stoneware. You should follow the instructions provided by the manufacturer on its use.

## CUTTING INSTRUCTIONS

We recommend wet cutting or the score and snap method during the installation process. Do not dry cut using power tools during the installation process. Improper installation techniques could expose installer to harmful silica dust.

## HOLES

For drilling you should use diamond twist drills with a diameter adaptable to the desired hole.

## SAFETY AND PREPARATION FOR LAYING THE MATERIALS.

We advise the use of appropriate PPE (personal protective equipment), namely safety footwear, protective gloves and even goggles (safety glasses) and hearing protection in operation of cutting material.

Good practices must be followed in terms of lifting and carrying loads.

## PROTECTION AND CLEANING

All residues of glue and grout mortar should be cleaned from the surface of the parts immediately after application and in accordance with the manufacturer's instructions. Immediately after the laying of ceramic material it is recommended that the ceramic parts are / will be duly protected. For dirt removal after the work, such as left-over joints, cements, etc., it is recommended that you use a buffered descaling acid to remove all residues.

In daily maintenance, ordinary detergents may be used, respecting the dilutions recommended by the respective manufacturer.

Regarding decorated pieces, you should avoid the use of abrasive cleansers that may damage the pieces.

Pieces decorated through the depositing of titanium particles - Gold and Silver - which give them a metallic aspect should be handled with care. The final cleaning and maintenance of this type of product should be made with detergents suitable for metals - stainless steel brightener - so as to create an antistatic effect that can repel dirt and protect the product from fats and corrosion.

Regular cleaning of the product should be done with a damp cloth moisturized with water or window cleaner, and after it gets dry, a dry cloth shall be used.

TILES LOOK

FLOOR | WALL  
LUCIDA  
EXCLUSIVE COLLECTION

SIZES

|                                                                                     |                           |                | Thickness | Sq. M./<br>Carton | Pieces/<br>Carton |
|-------------------------------------------------------------------------------------|---------------------------|----------------|-----------|-------------------|-------------------|
|    | 24x24<br>Floor Tile       | (60cm x 60cm)  | 8.5<br>MM | 1.44<br>SQM       | 4                 |
|    | 12x24<br>Floor Tile       | (30cm x 60cm)  | 8.5<br>MM | 1.44<br>SQM       | 8                 |
|    | 24x48<br>Floor Tile       | (60cm x 120cm) | 8.5<br>MM | 1.44<br>SQM       | 2                 |
|    | 2x2<br>Square Mosaic      |                | 8.5<br>MM | 0.956<br>SQM      | 10                |
|    | 1x3<br>Herringbone Mosaic |                | 8.5<br>MM | 1.013<br>SQM      | 10                |
|    | 2x2<br>Hexagon Mosaic     |                | 8.5<br>MM | 0.966<br>SQM      | 10                |
|   | 2x6<br>Pickets Mosaic     |                | 8.5<br>MM | 0.848<br>SQM      | 10                |
|  | 2x2<br>Rhombus Mosaic     |                | 8.5<br>MM | 1.107<br>SQM      | 10                |
|  | 2x2<br>Diamond Mosaic     |                | 8.5<br>MM | 0.924<br>SQM      | 10                |

APPLICATIONS

|                                                                                                    | Target<br>DCOF wet | Suitable |
|----------------------------------------------------------------------------------------------------|--------------------|----------|
| Dry & Level Interior Floor                                                                         | N/A                | ✓        |
| Wet & Level Interior Floor                                                                         | ≥ 0.42             |          |
| Shower Floors (Residential or Light Commercial)                                                    | ≥ 0.42             |          |
| Exterior Floor Applications<br>(including pool decking & other<br>wet areas with minimal footwear) | ≥ 0.60             |          |
| Ramps & Inclines                                                                                   | ≥ 0.65             |          |
| Walls/Backsplashes                                                                                 | N/A                | ✓        |
| Countertops                                                                                        | N/A                |          |
| Pool Linings                                                                                       | N/A                |          |

A DCOF value of ≥0.42 is the standard for tiles specified for level interior spaces expected to be walked upon when wet, as stated in ANSI A137.1-A326.3. For more information about DCOF and the DCOF Acu Test.

APPLICATION NOTES:

Suitable for exterior applications in freezing and non-freezing climates, when proper installation methods are followed.

TRIM

| Type                                                                                               | Number | Size   | Pieces/<br>Carton |
|----------------------------------------------------------------------------------------------------|--------|--------|-------------------|
|  Floor Bullnose | P-43F9 | 3 x 24 | 10                |

INSTALLATION

| Grout Joint Recommendation                                                                                                                                                                                     | Shade Variation                                                                               |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|
| <b>Floor:</b> 1/8" (3/16" when multiple sizes are installed in a modular pattern, and/or when installing tile with a length 15" or greater in a staggered brick-joint pattern; overlap should not exceed 33%.) |                                                                                               |
|                                                                                                                                                                                                                |  High (V3) |

PERFORMANCE CHARACTERISTICS

|                     | ASTM# | Result    |
|---------------------|-------|-----------|
| Water Absorption    | C373  | < 0.5%    |
| Breaking Strength   | C648  | > 275 lbs |
| Scratch Hardness    | MOHS  | 7.0       |
| Chemical Resistance | C650  | Resistant |

For additional information on test results, visit us at: [www.grupponueva.in](http://www.grupponueva.in)

DURABILITY

| Floor Surface Wear Resistance |                       |   |                                    |
|-------------------------------|-----------------------|---|------------------------------------|
| 1                             | Residential Bathrooms | ③ | All Residential / Light Commercial |
| 2                             | All Residential Areas | 4 | All Residential / Commercial       |

NOTES

Since there are variations in all fired ceramic and natural products, tile and trim supplied for you r particular installation may not match samples. Final confirmation should be made from actual tiles and trim prior to installation. Manufactured in accordance with ANSI A137.1 Standards.

Not for use on ramps. Water, oil, grease, improper drainage and certain footwear can create slippery conditions. Floor applications expected to be exposed to these conditions require extra caution in product selection.

For additional information refer to Factors to Consider at: [www.grupponueva.in](http://www.grupponueva.in)

Special consideration needs to be given when installing tiles greater than 15 inches. Please refer to [daltile.com/Large Tiles](http://daltile.com/Large Tiles) for more information.

**Manufacturer Advisory:** All tile is measured by the DCOF Acu Test method. Tiles with DCOF values <0.42 are not recommended for use in areas with wet or slippery conditions. For more information, see ANSI standard A137.1 section 6.2.2.1.10, available at [www.grupponueva.in](http://www.grupponueva.in)

Use of a latex modified thin-set is recommended for installation. For more information, visit



All or select items within this series meet the requirements for these qualifications. For more information, visit [www.grupponueva.com](http://www.grupponueva.com)

# GruppoNueva™

8-A, Lakhdhirpur Road, Beside Narmada Canal, Morbi,  
Gujarat 363 642



+91 7777040468



[www.grupponueva.com](http://www.grupponueva.com)



[hello@grupponueva.com](mailto:hello@grupponueva.com)